

Attachment 1

Must supply these Omicron parts or equal to:

B0975300 KELVINCLAMP CPCB 100A – QTY 48

P0006167 FLEXIBLE TEST LEAD ADAPTERS WITH RETRACTABLE SLEEVES – QTY 12


P0006194 OPTIONAL MEASUREMENT CABLE SET– QTY 48

B1224700 SUMMARY CABLE FOR A OUTPUTS 18 M / 60 FT. (4X 2.5 MM²)– QTY 4



B1224800 SUMMARY CABLE FOR B OUTPUTS 13 M / 45 FT. (5X 2.5 MM²) – 8

TESTRANO 600 ordering information




Accessories

| Order no. | Description | TESTRANO 600 Basic Package | TESTRANO 600 Standard Package | TESTRANO 600 Enhanced Package | TESTRANO 600 Advanced Package | TESTRANO 600 Universal Package | CP TD12 Upgrade Option |
|--|---|-------------------------------|----------------------------------|----------------------------------|----------------------------------|-----------------------------------|---------------------------|
| P0006282 | CP TD accessories set | – | – | – | ■ | ■ | ■ |
| B0508901 | Kelvin clamp red | 4 x | 4 x | 4 x | 4 x | 4 x | – |
| B0508900 | Kelvin clamp black | 4 x | 4 x | 4 x | 4 x | 4 x | – |
|  B0975300 | Kelvin clamp, 3 x 4 mm connector red, 1 x 4 mm connector black | 2 x | 2 x | 2 x | 2 x | 2 x | – |
| B0247200 | Cross-tile clamps for connection of the banana plugs, 4 mm / 0.16 in (2 x red and 2 x black) | ■ | ■ | ■ | ■ | ■ | ■ |
| B0649200 | Hot collar band | – | – | – | 2 x | 2 x | 2 x |

Cables


| Description | Item no. | Standard P0000651 | Advanced P0005864 | Dead Tank P0005865 | Medium Voltage P0000256 | Standard to Advanced P0006359 | Dead Tank to Advanced P0006243 | Medium Voltage to Advanced P0000257 | EHB1 P0006365 | IOB1 P0006368 | CB MC2 P0006355 | Motion Linear Basic P0006357 | Motion Linear Standard P0006360 | Motion Rotary Basic P0006356 | Motion Rotary Standard P0006361 | CSM P0006370 | VTM P0006586 |
|---|----------|-------------------|-------------------|--------------------|-------------------------|-------------------------------|--------------------------------|-------------------------------------|---------------|---------------|-----------------|------------------------------|---------------------------------|------------------------------|---------------------------------|--------------|--------------|
| Cable for A outputs, 6 m / 19.5 ft, 4 × 2.5 mm ² | B0973601 | 1x | 1x | 1x | | | | | | | | | | | | | |
|  Cable for A outputs, 18 m / 60 ft, 4 × 2.5 mm ² | B1224700 | | | 1x | | | | | | | | | | | | | |
| Cable for B outputs, 6 m / 19.5 ft, 5 × 2.5 mm ² | B0973701 | 1x | 1x | 1x | | | | | | | | | | | | | |
|  Cable for B outputs, 13 m / 45 ft, 5 × 2.5 mm ² | B1224800 | | | 1x | | | | | | | | | | | | | |
| Summary cable, color-coded, 7 m / 23 ft, 12 × 1.5 mm ² | B1570200 | | | | | | | | 1x | | | | | | | | |
| Terminal adapter box, ISO and ANSI screw threads; collection of different adapters to connect cables with 4 mm connectors to control cabinet terminals | P0006366 | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

Cables

| Description | Item no. | Standard P0000651 | Advanced P0005864 | Dead Tank P0005865 | Medium Voltage P0000256 | Standard to Advanced P0006359 | Dead Tank to Advanced P0006243 | Medium Voltage to Advanced P0000257 | EHB1 P0006365 | IOB1 P0006368 | CB MC2 P0006355 | Motion Linear Basic P0006357 | Motion Linear Standard P0006360 | Motion Rotary Basic P0006356 | Motion Rotary Standard P0006361 | CSM P0006370 | VTM P0006586 |
|--|----------|-------------------|-------------------|--------------------|-------------------------|-------------------------------|--------------------------------|-------------------------------------|---------------|---------------|-----------------|------------------------------|---------------------------------|------------------------------|---------------------------------|--------------|--------------|
| Cable for A outputs, 6 m / 19.5 ft, 4 x 2.5 mm ² | B0973601 | 1x | 1x | 1x | | | | | | | | | | | | | |
|  Cable for A outputs, 18 m / 60 ft, 4 x 2.5 mm ² | B1224700 | | | 1x | | | | | | | | | | | | | |
| Cable for B outputs, 6 m / 19.5 ft, 5 x 2.5 mm ² | B0973701 | 1x | 1x | 1x | | | | | | | | | | | | | |
|  Cable for B outputs, 13 m / 45 ft, 5 x 2.5 mm ² | B1224800 | | | 1x | | | | | | | | | | | | | |
|  Summary cable, color-coded, 7 m / 23 ft, 12 x 1.5 mm ² | B1570200 | | | | | | | | 1x | | | | | | | | |
| Terminal adapter box, ISO and ANSI screw threads; collection of different adapters to connect cables with 4 mm connectors to control cabinet terminals | P0006366 | | | | | | | | | | | | | | | | |

CMC 256plus accessories

The following accessories are included with the CMC 256plus standard delivery but can also be ordered separately.

| | Description | Order No. |
|---|--|-----------|
|  | > Country-specific power cord 3 m / 9.8 ft | |
| | > Ethernet patch cable 1.5 m / 4.9 ft | E1636800 |
| | > Ethernet patch cable 3 m / 9.8 ft | E1664400 |
| | > USB connection cable 2 m / 6.6 ft | B1021101 |
| | > Leads with 4 mm safety plugs (6 x red, 6 x black) 2 m / 6.6 ft | P0006168 |
| | > Flexible terminal adapters (12 x black) | E0439201 |
| | > Jumper flexible (4 x black) 6 cm / 2.4 in | E0439300 |
| | > Flexible test lead adapters with retractable sleeve (6 x red, 6 x black) | P0006167 |
| | > Grounding cable with battery clamp and M6 cable lug 6 m / 19.7 ft | B0349701 |
| | > Soft bag | E0074602 |

Optional accessories¹

| | Description | Order No |
|--|-------------|----------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



COMPANO 100 6 m / 20 ft cable set

Cable set for COMPANO 100 for larger test objects